

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	2	("20030123665")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/08 21:23
L2	597	(380/201).ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/08 21:24
L3	278	l2 and decoder	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/08 21:24
L4	228	decoder adj core	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/08 21:24
L6	2	("380"/\$).ccls. and 4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/08 21:26
L8	20	(instructions with decoder with decrypt\$)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/08 21:53
L9	6	(transmit\$ with instructions with decoder with decrypt\$)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/08 21:47
L10	1	(transmit\$ with instructions with decoder with decrypt\$ with content)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/08 21:48
L11	5	(transmit\$ with instructions with decrypt\$ with content)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/08 21:48

L12	1675	(instruction\$\ with decoder with decrypt\$)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/08 21:53
L13	43	(instruction\$ with decoder with decrypt\$)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/08 21:53
L14	11	(instruction\$ with decoder with decrypt\$ with key)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/08 21:53
L15	650	(instruction\$ with decrypt\$ with key)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/08 21:53
L16	3382	(request\$ with access with content)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/08 21:54
L17	58	15 and 16	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/08 21:54
L18	2	17 and 2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/08 21:54
L19	248	("380"/\$).ccls. and 15	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/08 21:54
L20	27	("380"/\$).ccls. and 15 and 12	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/08 21:54
L21	5	("380"/\$).ccls. and 15 and 13	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/08 21:54

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	2	("20030123665")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/08 21:23
L2	597	(380/201).ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/08 21:24
L3	278	l2 and decoder	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/08 21:24
L4	228	decoder adj core	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/08 21:24
L6	2	("380"/\$).ccls. and 4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/08 21:26
L8	20	(instructions with decoder with decrypt\$)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/08 21:53
L9	6	(transmit\$ with instructions with decoder with decrypt\$)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/08 21:47
L10	1	(transmit\$ with instructions with decoder with decrypt\$ with content)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/08 21:48
L11	5	(transmit\$ with instructions with decrypt\$ with content)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/08 21:48

L12	1675	(instruction\$\ with decoder with decrypt\$)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/08 21:53
L13	43	(instruction\$ with decoder with decrypt\$)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/08 21:53
L14	11	(instruction\$ with decoder with decrypt\$ with key)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/08 21:53
L15	650	(instruction\$ with decrypt\$ with key)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/08 21:53
L16	3382	(request\$ with access with content)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/08 21:54
L17	58	15 and 16	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/08 21:54
L18	2	17 and 2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/08 21:54
L19	248	("380"/\$).cccls. and 15	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/08 21:54
L20	27	("380"/\$).cccls. and 15 and 12	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/08 21:54
L21	5	("380"/\$).cccls. and 15 and 13	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/08 21:54

L22	331	("713"/\$).cccls. and (15)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/08 21:55
L23	248	("380"/\$).cccls. and (15)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/08 21:55
L24	248	("380"/\$).cccls. and (15) and decrypt\$ with key	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/08 21:55
L25	39	transmit\$ with instruction\$ with decrypt\$ with key	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/08 21:55
L27	13045	("380"/\$).cccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/08 21:56
L28	14	25 and 27	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/08 21:56
L29	2	(transmit\$ with software with decoder with decrypt\$ with key)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/08 21:57
L30	92	(transmit\$ with software with decrypt\$ with key)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/08 21:57
L31	31	30 and 27	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/08 21:57
L32	7	8 and 27	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/08 21:58

L33	597	(380/201).ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/08 21:58
-----	-----	-----------------	---------------------------------------------------------	----	-----	------------------